





ZTE

Dongle Installation for Windows

- Plug the dongle, and wait for the **Join Air Wizard** to start
- Click **Next**




- Choose Destination Location
- Click **Next**






Setup Status Page

- Wait for the download to finish




Click Finish





- The ZTE software will start automatically
- Enter the **SIM pin code** in the **PIN** page
- Click **OK**




- On the homepage of the ZTE dashboard
- Click on **Settings**






Settings window

- Select **Preference**
- Select **UMTS/HSPA Only**
- Click **Apply**



Settings window

- Select **Connection**
- Click on **Add**





Connection window

- Select **Common** tab
- Enter the information as follow
Config name: **3G**
Dial number: ***99#**
APN select: **usb.mic1.com.lb**
- Click **Save**

A screenshot of the 'Connection' dialog box. The 'Common' tab is selected. The 'Config File' section has 'Config name' and 'Dial number' text boxes. The 'APN' section has two radio buttons: 'Obtain APN address automatically' (selected) and 'Use the following APN address' (unselected). The 'User name' section has 'User name' and 'Password' text boxes. 'Save' and 'Cancel' buttons are at the bottom right.

Click **OK**

A screenshot of a small dialog box titled 'Connection'. The text 'Set OK!' is centered in the dialog. An 'OK' button is centered at the bottom.

ZTE dashboard

■ Click on the connect button

